◀ Google ▶

Google

| ACL DAG master list delete remove tree hierarchical duplicate nodes direct acyc | Search | Advanced Search
Preferences

Web   Results 1 - 10 of about **222** for **ACL DAG master list delete remove tree hierarchical duplicate nodes direct acyclic graph**. (0.42 seconds)

Show options....

1. **DAG**: Apt/Yum RPM package overview

Dag Wieers » RPM packages for Red Hat, RHEL, CentOS and Fedora » Apt/Yum
RPM package ...... perl-AI-Perceptron - Example of a **node** in a neural network ......
Provides a general framework for access to a **hierarchical** data structure ...... Perl
module to format a simple **tree** of strings into a textual **tree graph** ...
dag.wieers.com/rpm/packages.php - Cached - Similar

2. The ANTACID Replication Service: Rationale and Architecture

While **master**-less replication is useful, it makes serial audit impossible and ... We use
the term "name **tree**" to refer to the **hierarchical** collection of names ... space are
arranged in a **Directed Acyclic Graph** (**DAG** [33]) rooted at the primary. ...... The **ACL**
DTD, requirements governing the distribution and uniform ...
www.codeontheroad.com/.../draft-schwartz-antacid-service.html - Cached - Similar

3. Cover Pages: Extensible Access Control Markup Language (XACML)

The profile covers identifying **nodes** in a **hierarchy**, requesting access to **nodes** in a ...
that will apply to an entire sub-**tree** of **nodes** in the **hierarchy**, ... (2) a '**Directed
Acyclic Graph**' or '**DAG**' (a **hierarchy** with multiple roots, ... a variety of access
control models, such as Permissions, **ACLs** and RBAC. ...
xml.coverpages.org/xacml.html - Cached - Similar

4. [PDF] Operating Systems

File Format: PDF/Adobe Acrobat - View
Directory is a file which maps filenames to i-**nodes**. .... Disk contains **list** of inodes
(along with, of course, actual data blocks). .... **hierarchical** namespace. * **directed
acyclic graph** (if exclude soft links) .... lightweight: require less work to create/**delete**
than processes (mainly due to ...
www.cl.cam.ac.uk/teaching/0809/OpSyst/os1a-handout5.pdf - Similar

5. Updating Recursive XML Views of Relations

this is evident: the compressed view becomes a **directed acyclic graph** (**DAG**), which
is often significantly (at .... CS650 **nodes**, and then **remove** CS320 from the children

list of only those parent ... to respect the **hierarchical** nature of XML views. Note .....
tree in Fig.1, which is to **delete** student S02 from the ...
www.springerlink.com/index/0P974545K0317771.pdf - Similar
by B Choi - 2008 - Cited by 11 - Related articles - All 12 versions

6. [PDF] Certificate Discovery Using SPKI/SDSI 2.0 Certificates Jean-Emile ...

File Format: PDF/Adobe Acrobat - View as HTML
3-1 Backpointer **Directed Acyclic Graph** for Simple Certificate Chain. ..... Vincent
maintains an access control **list** (**acl**) which contains the set of valid SDSI ...... re-
implementation of his **master's** thesis, an implementation of a SDSI 1.0 server ... from
the **dag** to a certificate chain exists; each **node** is a named ...
theory.csail.mit.edu/~cis/theses/ellen-**masters**.pdf - Similar
by JE Elien - 1998 - Cited by 51 - Related articles

7. [PDF] Building Applications on the Grid

File Format: PDF/Adobe Acrobat - View as HTML
These **nodes** provide the computational services to the Grid .... **Direct Acyclic Graph**
(**DAG**) is a set of jobs where the input, ... Metadata - **List** of attributes associated with
entries ... Add, **remove** attributes. • Metadata organised as an **hierarchy** ... **Master-**
slave -- Writes only allowed on the **master** ...
grid.ucy.ac.cy/egee/doc/training/Buildingapplicationsonthegrid.pdf - Similar

8. RPM of Distribution **Dag** Apt Repository for Fedora Core 1

novi-1.1.5-1.fc1.rf.i386, Find the latest rpms by version in a **tree**, **DAG** pancho-9.3.9-
1.fc1.rf.noarch, Archive and manage remote **nodes** using SNMP ...... perl-**Graph**-Easy-
0.49-1.fc1.rf.noarch, Create **graphs**, **DAG** packages for Fedora 1 i386 ...... **Cyclic**
redundancy check generation, **DAG** packages for Fedora 1 i386 ...
www.rpmfind.net/.../Dag_Apt_Repository_for_Fedora_Core_1.html - Cached - Similar

9. Systems and methods for the implementation of a core schema for ...

2A illustrates the traditional **tree**-based **hierarchical** structure for files ...... The holding
relationships form a **directed acyclic graph** (**DAG**). ...... region by introducing a new
explicit **ACL**. This is indicated by the **node** marked 2. .... TABLE-US-00060 **delete**
from $**duplicates** where ts < @ oldLowWaterMark; ...
www.patents.com/Systems-methods...a-core.../en-US/ - Cached - Similar

10. [PS] Certicate Discovery Using SPKI/SDSI 2.0 Certicates

File Format: Adobe PostScript - View as HTML
3-1 Backpointer **Directed Acyclic Graph** for Simple Certicate Chain. : : ..... access
control **list**. (**acl**) which contains the set of valid SDSI ...... re-implementation of his
master's thesis, an implementation of a SDSI 1.0 server and ... This maps well to the
backpointer **dag**. Each implication (**node**) is a named sub- ...
groups.csail.mit.edu/cis/theses/ellen-**masters**.ps - Similar

by JE Ellen - 1998 - Cited by 51 - Related articles - All 9 versions

Goooooooooogle ▶

1 2 3 4 5 6 7 8 9 10 **Next**

ACL DAG master list delete remove tree hierarchical duplicate nodes direct acyc | Search |

Search within results - Language Tools - Search Help - Dissatisfied? Help us improve - Try Google Experimental

---

Google Home - Advertising Programs - Business Solutions - Privacy - About Google

◀ Google ▶

Google

★★★★☆▦▦
★★☆☆☆ ▦▦
Google ▭▭▭ ♀

| ACL DAG master list delete remove tree hierarchical duplicate nodes direct acyc | Search | Advanced Search
Preferences |

Web Results **11 - 20** of about **221** for **ACL DAG master list delete remove tree hierarchical duplicate nodes direct acyclic graph**. (0.20 seconds)

⊞
Show options...

1. [PDF] Netpix: A Method of Feature Selection Leading to Accurate ...

File Format: PDF/Adobe Acrobat - View as HTML
C and a **node** for each of the k input variables, as shown in Figure 3. In this scenario,
the ..., Yahoo! organizes documents into a **tree**-like **hierarchy** organized by topic. ...
Directed Acyclic Graph (MB **DAG**) corresponding to the target class. .....
Summarization Based on Minimum Cuts. Proceedings of **ACL** 2004. ...
web.ccsu.edu/datamining/.../james%20steck%20thesis.pdf - Similar
by JB Steck - 2006 - Related articles

2. [PDF] PARSEC: A Constraint-Based Parser for Spoken Language Processing

File Format: PDF/Adobe Acrobat
nodes in each **tree**. There are other approaches that improve the average case
efficiency of the Early ...... Because the topology of an SLCN is a **directed acyclic**
graph. (**DAG**), such sets will be recursive and **hierarchical** in nature. ...... pop(to-be-
deleted-**list**); r. = the role value from item to **delete**; ...
docs.lib.purdue.edu/cgi/viewcontent.cgi?article=1240&context... - Similar

3. [PPT] TCP for Mobile and Wireless Hosts

File Format: Microsoft Powerpoint - View as HTML
Nodes hearing RERR update their route cache to **remove** link J-D ...... All **tree nodes**
receiving this Group Hello record Q as the leader .... Maintain an **directed acyclic**.
graph (**DAG**) for each ...... point-to-multipoint; Suitable for bursty data; **Master** units
use a polling scheme to control **ACL** connections ...
www.it.iitb.ac.in/~it644/resources/valdya-manet.ppt - Similar

4. IBM Globalization - Terminology - terms C and D

(2) A **node** that is subordinate to another **node** in a **tree** structure. ...... **DAG**: See
directed acyclic graph. daisy chain: (1) In CICS ...... default access control **list**
(default **ACL**): A template used to generate access control lists ..... the user to **remove**
entries from an object; for example, **delete** messages from a ...
www-01.ibm.com/software/globalization/terminology/cd.jsp - Cached - Similar

5. A Tool to Support Speech and Non-Speech Audio Feedback Generation ...

hierarchical grammar is the ability to reuse components and avoid repetition. ..... would **remove** the **duplicate** mle in 'ie. RecordNoteResponse definition. .... This **tree** structure (technicallya **directed acyclic graph**, or **DAG**), identifies ... final result, each **node** in the **tree** maintains a **list** of tokens ...
portal.acm.org/ft_gateway.cfm?id=215970&type=pdf - Similar
by LJ Stifelman - 1995 - Cited by 11 - Related articles

6. [PDF] The Corporate Knowledge Power for Decision Support Systems

File Format: PDF/Adobe Acrobat - View as HTML
The **graph** of states is a **DAG** (**Directed Acyclic Graph**). • Each **node** of this ..... It consists of a file system in the form of **tree nodes**, to which are ..... The messages are exchanged according to the standard of **ACL** ..... In the first tab, the user can see all the existing repositories, **delete** one of them, or add ...
avalon.ira.uka.de/laks-calmet/stdip/DA-Guillou.pdf - Similar
by C GUILLOU - Cited by 2 - Related articles

7. [PDF] A SIMPLE, PRACTICAL MODEL FOR KNOWLEDGE DISCOVERY IN TEXTUAL ...

File Format: PDF/Adobe Acrobat - View as HTML
The **hierarchy** is based on a **directed acyclic graph** (**DAG**) of concepts .... to the syntactic **tree nodes** (mainly those related with verbs indicating ..... the removal of 595 documents which were exact **duplicates** (based on identity of ..... The **list** is used to **remove** these words before the tokenization process begins. ...
etd.lib.ttu.edu/theses/available/etd.../31295018721216.pdf - Similar

8. [PDF] Clustering users of an online content service

File Format: PDF/Adobe Acrobat - View as HTML
method called stemming is used to **remove** word suffixes. ... A manually constructed **list** of stop-words can be used for ...... The resulting structure is a **directed acyclic graph** (**DAG**), in which **nodes** represent concepts and connections between them ... categories are represented as **nodes** in a **hierarchical tree** view. ...
ethesis.helsinki.fi/julkaisut/mat/tieto/pg/linnanvuo/clusterl.pdf - Similar
by S Linnanvuo - Related articles - All 4 versions

9. [PDF] Empirical methods for fine-grained opinion extraction from text

File Format: PDF/Adobe Acrobat - View as HTML
sions of opinion, and identifying their **hierarchical** structure. ...... **remove** all clues from the **list** that never match a DSE in the test data, ... a **tree**. The **directed graph** resulting from flawed automatic predictions might ...... end, so it examines all the rules and constructs a **directed acyclic graph**, or **DAG**, ...
dspace.library.cornell.edu:8080/bitstream/1813/11166/1/thesis.pdf - Similar
by E Breck - 2008 - Related articles - All 5 versions

10. [PDF] Secure Naming for Distributed Computing using the Condensed **Graph** ...

File Format: PDF/Adobe Acrobat

densed **graph** is executed by WebCom, the **nodes** in the **graph** are scheduled by the WebCom ..... The most prevalent DAC model is the access control **list** (**ACL**) model . ... Howell [88] proposes another **tree** based naming **hierarchy** that attempts to ... **directed acyclic graph**, representing an application and/or program. ...
www.cs.ucc.ie/~simon/pubs/tquillinan.pdf - Similar
by TBB Quillinan - Cited by 1 - Related articles

Tip: These results **do not include** the word "delete". Show results that **include** "delete".

◀ Goooooooooogle ▶

Previous   1   2   3   4   5   6   7   8   9   10   11   **Next**

ACL DAG master list delete remove tree hierarchical duplicate nodes direct acyc   Search

Search within results - Language Tools - Search Help - Dissatisfied? Help us improve - Try Google Experimental

Google Home - Advertising Programs - Business Solutions - Privacy - About Google

Sign in

◀ Google ▶
Google

ACL DAG master list delete remove tree hierarchical duplicate nodes direct acyc | Search | Advanced Search
Preferences

Web   Results **21 - 30** of about **221** for **ACL DAG master list delete remove tree hierarchical duplicate nodes direct acyclic graph**. (0.41 seconds)

Show options...

1. [PDF] SOFTWARE ENGINEERING METHODOLOGY: THE WATERSLUICE

File Format: PDF/Adobe Acrobat
The environment is **hierarchical** with each **node** representing an atomic, com- ..... the
directed acyclic graph, of all steps from all four planes used in the final ...... a stack, a
queue, a **list**, a **tree**, a **graph**, or many other similar data containers. ..... **ACL** actions
include create, modify, **delete**, and validate. ...
infolab.stanford.edu/~burback/watersluice/watersluice.pdf - Similar
by R Burback - 1998 - Cited by 6 - Related articles - All 7 versions

2. [PS] Bulletin of the Technical Committee on December 2005 Vol. 28 No. 4 ...

File Format: Adobe PostScript - View as HTML
uments has required our community to **master** and hopefully enhance in our own way
, ... and uses a heavily distributed architecture with clusters of **nodes** devoted to ......
(4) **Remove duplicate** URLs. (5) Sort URLs to process PDF ..... described in a **DAG**
(**directed acyclic. graph**), is transformed to a **tree hierarchy**. ...
sites.computer.org/debull/DecA05-a4final.ps - Similar
by S Bani-Ahmad - Related articles - All 6 versions

3. [DOC] 1MW

File Format: Microsoft Word - View as HTML
ACL Access Control **List**. **ACL** Advanced Cmos Logic ...... CNAPS Coprocessing
Node Architecture for Parallel Systems .... **DAG** Design Automation Group. **DAG**
Directed Acyclic Graph (data structures) ...... MCNE **Master** Computer Network
Engineer {Novell} ..... PHIGS Programmer's **Hierarchical** Interactive Graphics
System ...
t2blog.com/.../The%20definitive%20Acronym%20list%20RS4.1.doc - Similar

4. [PDF] A Taxonomy of Data Grids for Distributed Data Sharing, Management ...

File Format: PDF/Adobe Acrobat - View as HTML
that has the authority to add or **remove nodes** and, therefore, these have stable
config- urations. ...... **Hierarchical** topologies have **tree**-like structure ...... **delete**.
Through simulation, they evaluate combinations of 4 .... a **Directed Acyclic Graph**
(**DAG**) to one of the scheduling servers for the VO, along with ...

www.gridbus.org/papers/DataGridTaxonomy-ACM.pdf - Similar
by S VENUGOPAL - 2006 - Cited by 104 - Related articles - All 35 versions

5. [PDF] Volume 31 Number 3 October 2007

File Format: PDF/Adobe Acrobat
tree constitutes a **hierarchy** of tests, an unknown feature ..... S is a **directed acyclic graph** (**DAG**) and the **nodes** in S ...... It is necessary to test if it exists as a **duplicate** or as an .... To **remove** a subtree rooted at position p we execute the ...... allows browsing the acquaintance **list** (**ACL**) of the agent, ...
www.informatica.si/PDF/informatica_2007_3.pdf - Similar

6. [PDF] The Vesta Software Configuration Management System

File Format: PDF/Adobe Acrobat
version every object in a **hierarchical** directory **tree**, including the directories ...... the eastern copy is **master**, it must have a complete **list** of names, ... Vesta evaluations against the cache can be viewed as generating a **directed acyclic graph** (**DAG**) in which the **nodes** are cache entries (i.e., function calls ...
www.hpl.hp.com/techreports/Compaq-DEC/SRC-RR-177.pdf - Similar
by A Heydon - Related articles - All 13 versions

7. [PDF] Software engineering, testing, and quality assurance for natural ...

File Format: PDF/Adobe Acrobat
Order copies of this and other **ACL** proceedings from: .... tive or false positive accordingly, and **delete** the span from ...... rected **acyclic graph**, or **DAG**, representing the de- ...... which **nodes** in the semantic **graph** have already been mentioned ..... such as the **graph** and **tree** managers. We then built a ...
www.aclweb.org/anthology/W/W08/W08-05.pdf - Similar

8. Usage Statistics for pypi.python.org - June 2008 - Search String

2 0.01% about set command in python 2 0.01% **acl** localhost src ...... 0.00% dht and r-**tree** 1 0.00% dialog pypi 1 0.00% dictionary methods in python 1 0.00% ... game resolver 1 0.00% **direct** io 1 0.00% **directed acyclic graph** python 1 0.00% ...... index 1 0.00% python hg 1 0.00% python **hierarchical graph** 1 0.00% python ...
pypi.python.org/webstats/search_200806.html - Cached - Similar

9. [PDF] STORAGE MANAGEMENT AND ACCESS IN WLHC COMPUTING GRID

File Format: PDF/Adobe Acrobat - View as HTML
provided by the underlying filesystem like **ACL** support and file system block ...... The **Directed Acyclic Graph** Manager (DAGMan) is a meta-scheduler for .... into a **hierarchical tree**-like structure, called a Directory Information **Tree** ...... to create/ **remove** directories, **delete** files, rename directories or files ...
cdsweb.cern.ch/record/1083653/files/CERN-THESIS-2008-008.pdf - Similar
by F Donno - 2007 - Cited by 2 - Related articles - All 2 versions

10. [PDF] Proceedings of the 46th Annual Meeting of the **ACL**

File Format: PDF/Adobe Acrobat
documents links are **directed**. The strength of the ..... son on his or her preference **list**
at that particular ...... We first **remove duplicate** categories gen- erated in the previous
phase. ...... In particular, **acyclic** CP-theories without negation ...... **graph** and **graph**
grammar is a **tree** that reflects ...
beneleam09.uvt.nl/Proceedings_Beneleam_09.pdf - Similar

◀ Goooooooooooogle ▶
Previous   1   2   3   4   5   6   7   8   9   10 11 12   **Next**

ACL DAG master list delete remove tree hierarchical duplicate nodes direct acyc | Search

Search within results - Language Tools - Search Help - Dissatisfied? Help us improve - Try Google Experimental

Google Home - Advertising Programs - Business Solutions - Privacy - About Google

◀ Google ▶

Google 网页

ACL DAG master list delete remove tree hierarchical duplicate nodes direct acyc   Search   Advanced Search
                                                                                          Preferences

Web   Results **31 - 40** of about **219** for **ACL DAG master list delete remove tree hierarchical duplicate nodes direct acyclic graph**. **(0.59** seconds)

Show options...

1. [PDF] XtreemOS

File Format: PDF/Adobe Acrobat - View as HTML
automatically; uses a **directed acyclic graph** (**DAG**) to describe the overall ... Role:
duplicates data if necessary; decides when to **delete** which data set ...... running on
the **master node** by running the Grid-proxy-init command of GT4 and ..... XtreemOS
allows to establish and manage **hierarchies** of VOs. ...
www.xtreemos.eu/publications/...2008-06-26.../d4-2-t_main.pdf - Similar
by D Level - Related articles - All 5 versions

2. [PDF] Condor® Version 7.2.4 Manual

File Format: PDF/Adobe Acrobat
A **directed acyclic graph** (**DAG**) can be used to represent a set of ..... **remove** the
DAGMan job running under Condor. condor q will **list** the job number. Use the job .....
hierarchy of **nodes** into the top level **dag** is '+'. ...... If you must keep the files on AFS,
then set a host **ACL** (using the AFS fs setacl command) on ...
www.cs.wisc.edu/condor/manual/v7.2/condor-V7_2_4-Manual.pdf - Similar

3. [PDF] Program Transformations for Information Personalization

File Format: PDF/Adobe Acrobat
4.5 **Graph**-theoretic Classes of **Hierarchical** Hypermedia . ... if the leaf **node** in a
goal **tree** cannot be simplified, it can be expanded and replaced with the ..... A
directed, **acyclic**, edge-labeled **graph** (**DAG**) is a **directed**, connected **graph** with
no ...... **Master's** thesis, Department of Computer Science, Virginia ...
scholar.lib.vt.edu/theses/available/etd...162449/.../thesis-sperugin.pdf - Similar
by S Perugini - 2004 - Cited by 6 - Related articles - All 4 versions

4. [PDF] Design and Evaluation of Packet Classification Systems

File Format: PDF/Adobe Acrobat
delete the **nodes** upwards until we meet its nearest ancestor or a **tree** branch ......
Figure 4.13: **Hierarchical** Structure of Fast Hash Table ...... first byte of the IP header
fields in a real Access Control **List** (**ACL**) ... **duplicate** some heavy wildcard filters. ......
This step generates a **directed acyclic graph**. The ...
www.arl.wustl.edu/~jst/studentTheses/hSong-2006.pdf - Similar

by H Song - Cited by 1 - Related articles - All 3 versions

5. [PDF] Seventh Biennial Report

File Format: PDF/Adobe Acrobat - View as HTML
have a bipartite **graph** G = (A∪B,E) and the **nodes** in A (or the **nodes** in A ...... Given
a **directed acyclic graph** (**DAG**) G = (V,E), a topological order is a linear order of ......
a **hierarchical** clustering using a restricted set of operations. .... Meeting of the
Association for Computational Linguistics (**ACL** 2004), ...
www.mpi-inf.mpg.de/departments/d1/fb2005-ag1.pdf - Similar

6. Anhang - Familie Alex, Weingarten (Baden)

Die Arbeitsgebiete sind in Form einer Auflistung (unordered **list**) zwischen ......
Amsterdam Compiler Kit **ACL** Access Control **List ACL** Account Classification
ACL ...... Field DAF Deutsche-Arbeitsfront-Empfänger **DAG Directed Acyclic Graph**
DAG ...... RHNT Registration **Hierarchical** Name **Tree** RHOB Relevant **Hierarchical** ...
www.abklex.de/skripten/anhangbl.txt - Cached - Similar

7. arXiv:cs/9812001v3 [cs.CL] 3 Dec 1998

decision **tree** model and the decision **list** model are example decision models ......
acyclic graph (**DAG**), and each of its **nodes** stands for a word sense (a ...... **Remove**
arg max ..... (**direct** objects) from the tagged texts of the WSJ corpus (**ACL**/DCI ......
clustering, phase transitions and **hierarchical** clustering. ...
arxiv.org/pdf/cs/9812001 - Similar
by Li Hang - 1998 - Related articles - All 11 versions

8. [PDF] A Taxonomy of Data Grids for Distributed Data Sharing, Management ...

File Format: PDF/Adobe Acrobat - View as HTML
the authority to add or **remove nodes** and therefore, these have stable ......
Hierarchical topologies have **tree**-like ...... the popularity of the datasets and decides
which datasets to replicate or **delete**. .... scheduling client within a VO submits a meta-
job as a **Directed Acyclic Graph** (**DAG**) to one of the ...
www.gridbus.org/reports/DataGridTaxonomy.pdf - Similar
by S Venugopal - Cited by 104 - Related articles - All 35 versions

9. [PS] SRC 177

File Format: Adobe PostScript
version every object in a **hierarchical** directory **tree**, including the directories ...... the
eastern copy is **master**, it must have a complete **list** of names, ... Vesta evaluations
against the cache can be viewed as generating a **directed acyclic**. **graph** (**DAG**) in
which the **nodes** are cache entries (i.e., function calls ...
ftp://gatekeeper.research.compaq.com/pub/DEC/.../SRC-177.ps.Z - Similar
by A Heydon - Related articles - All 13 versions

10. [PDF] c 2005 by Dulcineia de Lourdes de Sena Carvalho. All rights reserved

File Format: PDF/Adobe Acrobat
acyclic graph (**DAG**) and is represented in its simplest form as a rooted **tree**. ....
environment of a user is a rooted **tree**, with **node** environments and leaf
environments, ... An **ACL** of an object is a set of users, each of which has ...... to the
list of sessions of that user. • **Delete** Session–all the applications of ...
www.ideals.uiuc.edu/.../A%20Software%20Architecture%20for%20User%
20Environments... - Similar
by DLS Carvalho - 2004 - Cited by 1 - Related articles

◀Goooooooooooogle▶

Previous   1   2   3   4   **5**   **6**   **7**   **8**   **9**   10 11 12 13   **Next**

ACL DAG master list delete remove tree hierarchical duplicate nodes direct acyc   [Search]

Search within results - Language Tools - Search Help - Dissatisfied? Help us improve - Try Google Experimental

Google Home - Advertising Programs - Business Solutions - Privacy - About Google

Google scholar | ACL DAG master list delete remove tree hierar | Search

Scholar All articles Recent articles

Results **1 - 10** of **12**. (**0.13** sec)

[PDF] ⋆Certificate discovery using SPKI/SDSI 2.0 certificates
JE Elien - 1998 - theory.lcs.mit.edu
... the requirements for the degree of **Master** of Engineering ... 3-2 Threshold Backpointer
Dag - K 1 and ... Vincent maintains an access control **list** (**acl**) which contains ...
Cited by 51 - Related articles - View as HTML - All 9 versions

[PDF] ⋆Requirements Capture and Use Case Scenarios D4. 2.1
D Level, K **List** - Citeseer
... Section 4. This is followed by a conclusion and an the references **list**. ...
connection-based workload metric is intended to offer a more **direct** correlation ...
Related articles - View as HTML - All 5 versions

[PDF] ⋆Controlling Access to Encrypted Databases Using Multipolicy Access Control System
A Syalim - Citeseer
... 3.6.2 **Hierarchical** RBAC . ... large **list** of credit card numbers by breaking into a database. ...
should not be forced by the encryption system to keep **duplicate** copies ...
Related articles - View as HTML - All 2 versions

[PS] ⋆Real-Time Local and Remote MACH IPC: Architecture and Design
F Travostino, F Reynolds, T Martin - OSF Research Institute Abril - ac.upc.es
... set of protocols to create, maintain and **delete** the computing ... and to the con- figuration
protocols (add, **remove nodes**). ... an array (table) or a splay-**tree** (a self ...
Cited by 2 - Related articles - View as HTML

[PDF] ⋆Mobile ad hoc networking
C de Morais Cordeiro, DP Agrawal - Center for Distributed and Mobile Computing, ECECS, ..., 2002 - cs.uc.edu
... The hello messages may also **list** other **nodes** ... resort to a dynamic, **hierarchical** routing
solution ... network, a separate directed **acyclic graph** (**DAG**) is maintained ...
Cited by 1 - Related articles - All 12 versions

[PDF] ⋆Capítulo 3 Mobile Ad hoc Networking
CMC e Dharma, P Agrawal - ic.uff.br
... The hello messages may also **list** other **nodes** ... resort to a dynamic, **hierarchical** routing
solution ... network, a separate directed **acyclic graph** (**DAG**) is maintained ...
Related articles - View as HTML - All 2 versions

[PDF] ⋆SRC Research Report 177
A Heydon, R Levin, T Mann, Y Yu - tim-mann.org
... 195 A.3.4.4 Functions on Type t **list** . ... large software system can be specified by
a **hierarchy** of makefiles ... way down to the leaves of the dependency **tree** to check ...
Related articles - View as HTML - All 13 versions

[PDF] *Construction and annotation of test-items in DiET
J Klein, S Lehmann, K Netter, T Wegst - Proceedings of the ESSLLI Workshop on Recent ..., 1998 - coli.uni-sb.de
... and positions it within the hierarchically ordered **list** of annotation-types ... **Master's**
Thesis, Saarbrücken 1996 ... is that of a directed **acyclic graph** (**DAG**) with a ...
Cited by 3 - Related articles - View as HTML - All 9 versions

[PS] *Data Engineering
S Bani-Ahmad, A Cakmak, G Ozsoyoglu, A AI ... - Ann Arbor - sites.computer.org
... to the world of doc- uments has required our community to **master** and hopefully ... **list**
for the word "mayors" and then scan the **list** returning all ... In **ACL**, 2005 ...
Related articles - View as HTML - All 6 versions

[BOOK] Dictionary Of Internet
J Fernandes - 2005 - books.google.com
... AB roll editing: The transfer of portions of two video sources into one **master**
videotape ... Dictionary of Internet • 5 **ACL** : Acronym for Access Control **List**. ...

Google ▶

Result Page: 1 2 **Next**

ACL DAG master list delete remove | Search

Go to Google Home - About Google - About Google Scholar

©2009 Google

IEEE Xplore

Welcome United States Patent and Trademark Office

Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

Results for "((master node acl dag tree hierachy)<in>metadata)"
Your search matched **0** of **2387052** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

e-mail   printer friendly

Join IEEE Now
Learn More »

Search Options

View Session History

New Search

Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
AIP JNL	AIP Journal
AVS JNL	AVS Journal
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard
♫	Indicates open access content

Modify Search

((master node acl dag tree hierachy)<in>metadata)   Search ›

☐ Check to search only within this results set

Display Format: ● Citation   ○ Citation & Abstract

IEEE/IET/AIP/AVS   Books   Educational Courses   Application Notes [Beta]

IEEE/IET journals, transactions, letters, magazines, conference proceedings, AIP/AVS journals, and standards.

view selected items   **Select All** **Deselect All**

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

Help   Contact Us   Privacy & Security   IEEE.org

Searching within **The ACM Digital Library** for: ACL master direct acyclic graph (start a new search)

Found **3** of **255,808**

REFINE YOUR SEARCH

Search Results • • **Related Journals** • **Related SIGs**

Refine by Keywords

ACL master direct acycl

SEARCH

Discovered Terms

Refine by People

Names
Institutions
Authors
Reviewers

Refine by Publications

Publication Year
Publication Names
ACM Publications
All Publications
Publishers

Refine by Conferences

Sponsors
Events
Proceeding Series

ADVANCED SEARCH

Advanced Search

FEEDBACK

Please provide us with feedback

Found **3** of **255,808**

Results 1 - 3 of 3

Sort by [relevance] in [expanded form]

Save results to a Binder

1 X-GTRBAC: an XML-based policy specification framework and architecture for enterprise-wide access control

Rafae Bhatti, Arif Ghafoor, Elisa Bertino, James B. D. Joshi

May 2005   **Transactions on Information and System Security (TISSEC)** , Volume 8 Issue 2

Publisher: ACM Request Permissions

Full text available: Pdf (1.60 MB)   Additional Information: full citation, abstract, references, cited by, index terms, review

Bibliometrics: Downloads (6 Weeks): 31, Downloads (12 Months): 210, Citation Count: 12

Modern day enterprises exhibit a growing trend toward adoption of enterprise computing services for efficient resource utilization, scalability, and flexibility. These environments are characterized by heterogeneous, distributed computing systems exchanging ...

Keywords: XML, role-based access control, secure enterprises

2 A methodology for managing roles in legacy systems

Sylvia L. Osborn, Yan Han, Jun Liu

June 2003   **SACMAT '03**: Proceedings of the eighth ACM symposium on Access control models and technologies

Publisher: ACM Request Permissions

Full text available: Pdf (410.55 KB)   Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 30, Citation Count: 0

Role-based access control (RBAC) is well accepted as a good technology for managing and designing access control in systems with many users and many objects. Much of the research on RBAC has been done in an environment isolated from real systems which ...

Keywords: relational databases, role-based access control

3 Towards constructive text, diagram, and layout generation for information presentation

John Bateman, Jörg Kleinz, Thomas Kamps, Klaus Reichenberger

September **Computational Linguistics** , Volume 27 Issue 3
2001

Publisher: MIT Press

Full text available: Publisher Site , Pdf (1.22   Additional Information: full citation, abstract,
MB)   references, cited by

Bibliometrics: Downloads (6 Weeks): 9, Downloads (12 Months): 103,   Citation Count: 6

Combining elements appropriately within a coherent page layout is a well-recognized and crucial aspect of sophisticated information presentation. The precise function and nature of layout has not, however, been sufficiently addressed within computational …

Terms of Usage   Privacy Policy   Code of Ethics   Contact Us

Useful downloads: Adobe Acrobat   QuickTime   Windows Media Player   Real Player